



Republic of the Philippines  
Department of Education  
Procurement Management Service  
BAC Secretariat Division

---

**Bids and Awards Committee I**

SUBJECT : **BID BULLETIN No. 1**

PROJECT NO. : **2020c-BLSS2(003)-BI-CB-014**

PROJECT : **Procurement of Medical Supplies (Rebid)**

ABC : **Php 238,974,321.60**

DATE : **November 11, 2020**

---

This Bid Bulletin is hereby issued for the information and guidance of all prospective bidders and shall form an integral part of the bidding documents issued earlier for the above project.

I. **Section III. Bid Data Sheet**

<b>Clause</b>	<b>Original Provision</b>	<b>Provision as amended</b>	<b>Remarks / Explanation / Clarification</b>
<i>ITB Clause 15</i>	<p>Bidders shall enclose their original eligibility and technical documents in one sealed envelope marked "ORIGINAL – TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL – FINANCIAL COMPONENT." In addition, the Bidders shall submit a copy of each of the Technical Component and the Financial Component <b>(hard and soft copy)</b> of their bids in separate envelopes, respectively. Then, the bidders shall seal and mark the original and the copies of their bids.</p> <p>In the event of any discrepancy between the original and the copy, the original shall prevail.</p> <p>Original copies of the Class "A" Eligibility Legal</p>		<i>Added provision</i>

christa\_nicolas | BB\_2020c-CB-014

Documents, such as the SEC, DTI, or the CDA registration certificate and the Mayor's Permit, may not be submitted on the date and the time of the bid submission. However, the bidder must be able to present such original copies during post-qualification on demand by the BAC or its authorized representative(s).

To facilitate the receipt and classification of bid envelopes, **outer envelopes shall be color RED, inner envelope containing Technical Proposal shall be color Blue and inner envelope containing Financial Proposal shall be color Green.**

The following documents which are to be submitted as part of the bids are advised to be produced in electronic forms recorded on three (3) USB / flash drives (both Word format and PDF (or read-only) format)

1. Statement of Compliance with Technical Specifications
2. Filled out Price Schedule
3. Filled out Net Financial Contracting Capacity (NFCC)

In case of discrepancy in the substance and content between the printed copies and the USB/flash drives, the printed copies shall

	<p>prevail. Non-submission of electronic copies will not be a ground for disqualification, but the bidder/s are required to submit the same during the post-qualification.</p> <p>Post qualification documents maybe submitted during the bidding but this does not disqualify bidders who will not submit post qualification documents during bid submission.</p> <p><b>Note: Each Bidder shall submit three (3) paper copies of its bid.</b></p>		
--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

II. **Section VII. Technical Specifications**

**General Requirements/Specifications, p. 81, Item No. 3**

<b>Original Specification</b>	<b>Specification, as Amended</b>
<p>Valid Product Notification issued by the Philippine Food and Drug Administration (for all medicines).</p>	<p><b><i>A valid License to Operate (LTO) as an importer and distributor of medical products to include supplies, devices/equipment and medicine and other medical products by the Food and Drug Administration, Phil (FDA Phil) to ensure the high degree of safety and quality of products.</i></b></p> <p>Valid Product Notification issued by the Philippine Food and Drug Administration (for all medicines).</p>

### Detailed Technical Specifications

QTY per Set	UOM	ORIGINAL ITEM DESCRIPTION	ITEM DESCRIPTION AS AMENDED
1	Pc	<p><b>Aneroid Sphygmomanometer with Stethoscope</b>                      -Range: 0-300 mmHg                      -Accuracy: +/- 3 mmH                      -Adult cuff                      -This device must have CPR (Certificate of Product Registration issued by duly authorized office and complies with local or international standards. (e.g.: EN 1060-1:1995+A1:2002 &amp; EN 1060-2:1995+A1:2009)                      -Must contain the authority to distribute or manufacturers authority or distributorship</p>	<p><b>Aneroid Sphygmomanometer with Stethoscope</b>                      -Range: 0-300 mmHg                      -Accuracy: +/- 3 mmH                      -Adult cuff                      -This device must have CPR (Certificate of Product Registration issued by duly authorized office and complies with local or international standards. (e.g.: EN 1060-1:1995+A1:2002 &amp; EN 1060-2:1995+A1:2009) <b>or ISO certificate</b>                      -Must contain the authority to distribute or manufacturers authority or distributorship</p>
1	Pc	<p><b>Diagnostic Penlight otoscope</b>                      -stainless steel body (penlight) durable plastic with magnifying lens (otoscope)                      -Light weight and handy easily converts into a penlight when otoscope head is removed                      -At least 0.0300 kg                      Product size (L x W x H): 15.50 x 5.30 x 2.00 cm / 6.1 x 2.09 x 0.79 inches                      -Must contain the authority to distribute or manufacturers authority or distributorship</p>	<p><b>Diagnostic Penlight otoscope</b>                      -stainless steel body or <b>aluminum alloy</b> (penlight) durable plastic with magnifying lens (otoscope)                      -Light weight <b>at least 0.03kg but not more than 0.05kg</b>                      - Handy easily converts into a penlight when otoscope head is removed                      Product size (L x W x H): <b>at least</b> 15.50 x 5.30 x 2.00 cm / 6.1 x 2.09 x 0.79 inches                      -Must contain the authority to distribute or manufacturers authority or distributorship</p>
1	Pc	<p><b>Nebulizer, portable</b></p> <ul style="list-style-type: none"> <li>• 1 adult mask</li> <li>• 1 pediatric mask</li> <li>• 1 PVC tubing</li> <li>• 1 AC/DC adapter</li> <li>• 3 spare filters</li> <li>• 1 multi-compartment, zippered carry bag</li> </ul>	<p><b>Nebulizer, portable</b></p> <ul style="list-style-type: none"> <li>• 1 adult mask</li> <li>• 1 pediatric mask</li> <li>• 1 PVC tubing</li> <li>• 1 AC/DC adapter</li> <li>• 3 spare filters</li> <li>• 1 multi-compartment, zippered carry bag</li> </ul>

		<p>Max Pressure (Compressor) 30 psi</p> <p>Flow Range (Compressor) 0 - 14 liters/min</p> <p>Particle Size (Nebulizer) 0.5 to 5 microns</p> <p>Capacity (Nebulizer) At least 5 ml</p> <p>-Must contain the authority to distribute or manufacturers authority or distributorship</p>	<p>Max Pressure (Compressor) At least <b>11psi but not more than 30 psi</b></p> <p>Flow Range (Compressor) At least 0 - 14 liters/min</p> <p>Particle Size (Nebulizer) 0.5 to 5 microns</p> <p>Capacity (Nebulizer) At least 5 ml</p> <p>-Must contain the authority to distribute or manufacturers authority or distributorship</p>
1	Pc	<p><b>Oxygen tank with regulator and nasal cannula, 15 Li capacity</b></p> <p>-with regulator and nasal cannula</p> <p>-15 Li capacity</p> <p>-20 Pounds (Height: 90cm x Diameter: 50 cm)</p> <p>- Must contain the authority to distribute or manufacturers authority or distributorship</p>	<p><b>Oxygen tank with regulator and nasal cannula, 15 Li capacity</b></p> <p>-with regulator and nasal cannula</p> <p><b>-at least 15 Li capacity</b></p> <p>- <b>at least 20 Pounds</b> (Height: 90cm x Diameter: 50 cm)</p> <p>- Must contain the authority to distribute or manufacturers authority or distributorship</p>
1	pc	<p><b>Wheelchair</b></p> <p>-Frame: chromed steel;</p> <p>-Seat: leatherette;</p> <p>-adjustable armrest and footrest;</p> <p>-8" PVC casters;</p> <p>-24" wheel with solid tire;</p> <p>-Seat width: 46cm;</p> <p>-Total width: 65cm;</p> <p>- width: 22 cm;</p> <p>-Seat depth: 40cm;</p> <p>-Front wheel diameter: 8" 19cm;</p> <p>-Rear wheel diameter: 24" 59 cm;</p> <p>-Total height: 87 cm;</p> <p>-Backrest height: 45cm;</p> <p>-Total length: 105cm</p> <p>-Preferably black in color</p> <p>- Must contain the authority to distribute or manufacturers authority or distributorship</p>	<p><b>Wheelchair</b></p> <p>-Frame: chromed steel;</p> <p>-Seat: leatherette;</p> <p>-adjustable armrest and footrest;</p> <p>-8" PVC casters;</p> <p>-24" wheel with solid tire;</p> <p>-Seat width: 46cm;</p> <p>-Total width: 65cm;</p> <p>- width: 22 cm;</p> <p>-Seat depth: 40cm;</p> <p>-Front wheel diameter: 8" 19cm;</p> <p>-Rear wheel diameter: 24" 59 cm;</p> <p>-Total height: 87 cm;</p> <p><b>-Backrest height: at least 37cm but not more than 45cm;</b></p> <p>-Total length: 105cm</p> <p>-Preferably black in color</p>

			- Must contain the authority to distribute or manufacturers authority or distributorship
2	Pc	<p><b>Kidney basin</b></p> <ul style="list-style-type: none"> <li>-at least 6" long;</li> <li>-stainless steel container with smooth surface.</li> <li>-Length: 240-260 mm.</li> <li>-Width: 130-150mm.</li> <li>-Height: 30-50mm.</li> <li>-Capacity: at least 800 to 850ml.</li> <li>-Thickness: 0.75-0.85mm.</li> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>	<p><b>Kidney basin</b></p> <ul style="list-style-type: none"> <li>-at least 6" long;</li> <li>-stainless steel container with smooth surface.</li> <li><b>-Length: at least 240mm but not more than 260mm.</b></li> <li><b>-Width: at least 130mm but not more than 150mm.</b></li> <li><b>-Height: at least 30mm but not more than 50mm</b></li> <li><b>-Capacity: at least 800ml but not more than 850ml.</b></li> <li><b>-Thickness: at least 0.75mm but not more than 0.85mm</b></li> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>
2	Pc	<p><b>Ice cap</b></p> <ul style="list-style-type: none"> <li>- medium size, 100% leak free, with resealable cap, 200-300 cc</li> </ul>	<p><b>Ice cap</b></p> <ul style="list-style-type: none"> <li>- medium size, 100% leak free, with resealable cap, <b>at least 200cc but not more than 300 cc</b></li> </ul>
4	Pc	<p><b>Hot water bag</b></p> <ul style="list-style-type: none"> <li>-500 cc capacity, made from natural rubber, 100 leak proof, rectangular in shape, resistant to boiling water, and odourless</li> </ul>	<p><b>Hot water bag</b></p> <ul style="list-style-type: none"> <li>- <b>at least 500 cc capacity,</b></li> <li>- made from natural rubber, 100 leak proof, rectangular in shape, resistant to boiling water, and odourless</li> </ul>
1	Pc	<p><b>Stretcher (Aluminum Alloy Folding Stretcher)</b></p> <ul style="list-style-type: none"> <li>- <b>Product Size: L x W x H: 185 x 50 x 20cm</b></li> <li>- <b>Folded Size: L x W x H: 92 x 50 x 9 cm</b></li> <li>- Stretcher cover/canvas must be washable, disinfectable, non-absorbent, decay-resistant, easy to maintain;</li> <li>- 4 glide feet;</li> <li>- 1 pillow bag (for head rest) and 2 safety belts with quick-release clip locks.</li> <li>- Non-slip and padded carrying handles.</li> </ul>	<p><b>Stretcher (Aluminum Alloy Folding Stretcher)</b></p> <ul style="list-style-type: none"> <li>-<b>Single Fold (widthwise);</b></li> <li>-<b>CRC black powder coated pipe with tetron canvas</b></li> <li>-<b>Overall dimension OPEN: 2232 X 550 X 137mm with handle removed, ready to use.</b></li> <li>-<b>Overall dimension FOLDED: 1040 X 130 X 180mm.;</b></li> <li>-Stretcher cover/canvas must be washable, disinfectable, non-absorbent, decay-resistant, easy to maintain;</li> <li>-4 glide feet;</li> </ul>

		<ul style="list-style-type: none"> <li>- Carry belt: 2.</li> <li>-Carrying capacity: 150kg.</li> <li>- Must be resistant to corrosion and decontamination (chlorine solution), waterproof, washable and flame retardant.</li> <li>- This device must have CPR (Certificate of Product Registration issued by duly authorized office and complies with local or international standards. . (e.g.: EN 1865:2000)</li> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>	<ul style="list-style-type: none"> <li>-1 pillow bag (for head rest) and 2 safety belts with quick-release clip locks.</li> <li>-Non-slip and padded carrying handles.</li> <li>-Carry belt: 2.</li> <li>-Carrying capacity: 150kg.</li> <li>-Must be resistant to corrosion and decontamination (chlorine solution), waterproof, washable and flame retardant.</li> <li>- This device must have CPR (Certificate of Product Registration issued by duly authorized office and complies with local or international standards. . (e.g.: EN 1865:2000)</li> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>
1	pc	<p><b>Ice chest</b></p> <ul style="list-style-type: none"> <li>-at least 45 liters capacity</li> <li>-at least 32.2 lbs</li> <li>-Inner dimension: L16.3"x W11.2" X H 17.1" (41.5cm x 28.5cm 43.5cm)</li> <li>-Outer dimension : L20.5" x W15.4" x H 22.4" (52 cm x 39cm x 57 cm)</li> </ul>	<p><b>Ice chest</b></p> <ul style="list-style-type: none"> <li>-at least 45 liters capacity</li> <li>-at least 32.2 lbs</li> <li><b>-Inner dimension: at least L16.3"x W11.2" X H 17.1" (41.5cm x 28.5cm 43.5cm)</b></li> <li><b>-Outer dimension :at least L20.5" x W15.4" x H 22.4" (52 cm x 39cm x 57 cm)</b></li> </ul>
1	Pc	<p><b>Glucometer (Glucose Meter)</b></p> <ul style="list-style-type: none"> <li>-Portable, read in moles and g/DL</li> <li>-Should be a hand held meter</li> <li>-Should require no routine maintenance;</li> <li>-Should have reading range/linearity from 20 to 600 mg/dl</li> <li>-Should have a maximum reading time of less than 10 seconds</li> <li>-Should use electrochemical technology</li> <li>-Should use a minimum blood sample less than 1.5µl</li> <li>-Should have LCD display</li> <li>-Should have measuring unit in mg/dl</li> <li>-Should have wide operating temperature</li> </ul>	<p><b>Glucometer (Glucose Meter)</b></p> <ul style="list-style-type: none"> <li>-Portable, read in moles and g/DL</li> <li>-Should be a hand held meter</li> <li>-Should require no routine maintenance;</li> <li>-Should have reading range/linearity from 20 to 600 mg/dl</li> <li>-Should have a maximum reading time of less than 10 seconds</li> <li>-Should use electrochemical technology</li> <li>-Should use a minimum blood sample less than 1.5µl</li> <li>-Should have LCD display</li> <li>-Should have measuring unit in mg/dl</li> </ul>

		<ul style="list-style-type: none"> <li>-Should have a minimum memory of 50</li> <li>-Should have easy code entry technique</li> <li>-Should have facility to ensure accuracy of measurements</li> <li>-Should be supplied with one control solution of at least 20 ml; and</li> <li>-Should have safety certificate from a competent authority CE/FDA (US)/STQC CB certificate/STQC S certificate or valid detailed electrical and functional safety test.</li> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>	<ul style="list-style-type: none"> <li>-Should have wide operating temperature</li> <li>-Should have a minimum memory of 50</li> <li>-Should have easy code entry technique</li> <li>-Should have facility to ensure accuracy of measurements</li> <li><b>-Should be supplied with one control solution of at least 4ml but not more than 20ml;</b> and</li> <li>-Should have safety certificate from a competent authority CE/FDA (US)/STQC CB certificate/STQC S certificate or valid detailed electrical and functional safety test.</li> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>
2	Box (100s)	<p><b>Lancets, Glucometer appropriate, 100s/box</b></p> <ul style="list-style-type: none"> <li>-Durable, sterile and sharp; and ultra thin, <b><i>at least gauge 28-31</i></b></li> <li><b>- Must contain the authority to distribute or manufacturers authority or distributorship</b></li> </ul>	<p><b>Lancets, Glucometer appropriate, 100s/box</b></p> <ul style="list-style-type: none"> <li>-Durable, sterile and sharp; and ultra thin, <b><i>at least gauge 28</i></b></li> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>
4	Pc	<p><b>Elastic bandage</b></p> <p>4" self adhesive</p> <ul style="list-style-type: none"> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>	<p><b>Elastic bandage</b></p> <p><b><i>4" self adhesive or with locking clip; can be reusable</i></b></p> <ul style="list-style-type: none"> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>
2	Kit	<p><b>Nebulizing Kit</b></p> <ul style="list-style-type: none"> <li>-Pediatric mask, with oxygen tubing, non toxic PVC, medical grade transparent, 78-85 inches</li> <li>-Medication capacity: 6 ml</li> <li>-Particle size: 0.5 to 5 µm</li> <li>-Average nebulization rate: 0.2 - 0.5 ml/min</li> <li>-Operation pressure: 35 to 45 Psi</li> <li>- Must contain the authority to distribute or manufacturers authority or distributorship</li> </ul>	<p><b>Nebulizing Kit</b></p> <ul style="list-style-type: none"> <li>-Pediatric mask, with oxygen tubing, non toxic PVC, medical grade transparent, 78-85 inches</li> <li>-Medication capacity: 6 ml</li> <li>-Particle size: 0.5 to 5 µm</li> <li>-Average nebulization rate: 0.2 - 0.5 ml/min</li> <li>-Operation pressure: 35 to 45 Psi</li> <li><b><i>Air flow: 6 - 9 lpm</i></b></li> <li><b><i>-Sound level: 60 dB</i></b></li> <li><b><i>-Weight: 1.9 kg</i></b></li> </ul>



			- Must contain the authority to distribute or manufacturers authority or distributorship
2	Kit	<b>Nebulizing Kit</b> -Adult mask, with oxygen tubing, non toxic PVC, medical grade transparent, 78-85 inches -Medication capacity: 6 ml -Particle size: 0.5 to 5 µm -Average nebulization rate: 0.2 - 0.5 ml/min -Operation pressure: 35 to 45 Psi - Must contain the authority to distribute or manufacturers authority or distributorship	<b>Nebulizing Kit</b> -Adult mask, with oxygen tubing, non-toxic PVC, medical grade transparent, 78-85 inches -Medication capacity: 6 ml -Particle size: 0.5 to 5 µm -Average nebulization rate: 0.2 - 0.5 ml/min -Operation pressure: 35 to 45 Psi <b>-Air flow: 6 - 9 lpm</b> <b>-Sound level: 60 dB</b> <b>-Weight: 1.9 kg</b> - Must contain the authority to distribute or manufacturers authority or distributorship
8	Pc	<b>Medicine dropper</b> 5 ml volume	<b>Medicine dropper</b> <b>At least 3ml but not more than 5ml volume</b>
10	Bot	<b>Permethrin lotion</b> 50 ml/bottle	<b>Permethrin lotion</b> <b>60 ml/bottle</b>
12	Bot	<b>hypromellose eye drops,</b> 7.5ml/bottle	<b>hypromellose eye drops,</b> <b>10ml/bottle</b>

All other provisions not herein modified shall remain in full force and effect. Please be guided accordingly.


  
**ALAIN DEL B. PASCUA**  
 Undersecretary and BAC I Chairperson



OUAD00-1120-0138  
 To authenticate this document,  
 please scan the QR Code

