



PROJECT: Mass Production and Supply of Science and Mathematics Equipment Packages to Public Elementary for Grades 1 to 3 & Grades 4 to 6, Public Junior High School for Grades 7 to 10 and Public Senior High School for Grades 11 to 12 (Core and Stem)

CONTRACT NO.: 2021-BLR4(001to006)-BV-CB-009-C135

CONTRACT AGREEMENT

THIS AGREEMENT made and entered into this day of AUG 26 2021 by and between **DEPARTMENT OF EDUCATION**, located at DepEd Complex, Meralco Avenue, Pasig City, Philippines, represented herein by its Secretary, **LEONOR MAGTOLIS BRIONES**, as per Department Order No. 023, s. 2021 (hereinafter referred to as "DEPED"); and **NIKKA TRADING** represented herein by its Authorized Representative, **JONATHAN R. ZULUETA**, with office address at Unit 1014 Cityland Herrera Tower, V.A. Rufino St. corner Valero St., Salcedo Village, Makati City, Metro Manila, Philippines (hereinafter referred to as "NIKKA TRADING").

DEPED and NIKKA TRADING are collectively called "PARTIES."

WHEREAS, DEPED invited bids for the mass production and supply of Science and Mathematics Equipment Packages consisting of sixteen (16) Lots and received bids from eight (8) bidders; DEPED opened, read, and evaluated the bids of the eight (8) bidders; DEPED post-disqualified the bidder having the lowest calculated bid for Lot No. 13 and declared NIKKA TRADING as having the next lowest calculated bid; after evaluation, DEPED post-qualified and declared the bid of NIKKA TRADING as the lowest calculated responsive bid for Lot No. 13 in the sum of **PHILIPPINE PESOS ONE HUNDRED SEVENTY-ONE MILLION, TWO HUNDRED EIGHTY-THREE THOUSAND, FIVE HUNDRED EIGHTY-ONE and 80/100 (PhP 171,283,581.80) ONLY**, (hereinafter called the "Contract Price") detailed as follows:

Lot No.	Description	Amount (PhP)
13	NON-POWERED: SETS AND KITS (MI-LOT 13)	171,283,581.80

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

Handwritten signature
 NIKKA TRADING's Witness

Handwritten signature
 ARIZ DELSON ACAY D. CAVILAN
 DEPED's Witness

Handwritten signature
 LEONOR MAGTOLIS BRIONES
 Department of Education


NIKKA TRADING's Witness


JONATHAN R. ZULUJETA
NIKKA TRADING


ARIZ DELSOR ACAY D. CAWILAN
DEPED's Witness


LEONOR MAGTOLIS BRIONES
Department of Education

2. The following documents as required by the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, viz:
 - i. Philippine Bidding Documents (PBD);
 - a. Schedule of Requirements;
 - b. Technical Specifications;
 - c. General and Special Conditions of the Contract;
 - d. Bid Bulletin No. 1 dated June 1, 2021;
 - e. Bid Bulletin No. 2 dated June 4, 2021;
 - f. Bid Bulletin No. 3 dated June 9, 2021; and
 - g. Bid Bulletin No. 4 dated June 15, 2021.
 - ii. NIKKA TRADING's bid, including the Eligibility Requirements, Technical and Financial Proposals, and all other documents or statements submitted;
 - iii. Performance Security;
 - iv. Notice of Award of Contract and NIKKA TRADING's conforme thereto; and
 - v. Other contract documents required by existing laws and/or DepEd in the PBD. NIKKA TRADING agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Order, and Warranty Security, shall form part of the Contract.
3. The goods supplied by NIKKA TRADING under this Contract shall be picked-up or hauled by the third-party logistics provider designated by DEPED. Risk and title to the goods shall pass from NIKKA TRADING to DEPED upon receipt and final acceptance at NIKKA TRADING's warehouse. However, assembly, installation, start-up and/or commissioning of items, in cases where they are necessary, shall remain to be the responsibility and for the account of NIKKA TRADING notwithstanding inspection and acceptance at its warehouse or premises.
4. The goods shall be ready for pick-up or hauling by the third party logistics within **one hundred forty-four (144) calendar days** from receipt of NIKKA TRADING of the Notice to Proceed.
5. NIKKA TRADING shall post a Performance Security within ten (10) calendar days from receipt of the Notice of Award in the form and amount prescribed therein. The performance security shall be posted in favor of DEPED, and shall be forfeited in the event it is established that NIKKA TRADING is in default of any of its obligation under this contract. NIKKA TRADING shall be responsible for the extension of its performance security and/or undertake to renew its


ORIGINAL SIGNED
CERTIFIED DUPLICATE COPY
CMOCCD-2021C135-019


NIKKA TRADING's Witness

6. The goods supplied under this Contract should conform to and comply with the standards mentioned in Section VI. Schedule of Requirements of the Bidding Documents, as amended by Bid Bulletin Nos. 1, 2, 3 and 4 dated June 1, 2021, June 4, 2021, June 9, 2021 and June 15, 2021, respectively, and must be in accordance with the technical specifications, a copy of which is hereto attached as Annex "A" and made an integral part hereof. Any proposal to deliver items of equivalent, higher or superior technical specifications, in lieu of those of the approved bids or samples shall be discretionary to **DEPED** and is subject to the evaluation and recommendation of the end-user or implementing units and the approval of the herein authorized representative and signatory.


JONATHAN R. ZULUETA
NIKKA TRADING

7. Goods with defects or non-compliant with the required specifications during pre-delivery inspection shall be replaced immediately by **NIKKA TRADING**, and replacement items shall be subjected to re-inspection. Goods with defects or non-compliant with the required specifications upon delivery shall be rejected by **DEPED** and replaced by **NIKKA TRADING** in accordance with the warranty provisions in the bidding documents. **DEPED** shall have the option to inspect **NIKKA TRADING's** premises covered by the Contract, at any time or stage of contract implementation, to monitor and assess **NIKKA TRADING's** capacity to discharge its contractual obligations.


ARIZ DELSON ACAY D. CAWILAN
DEPED's Witness

8. The procured goods or items contemplated under this Contract shall be inspected by **DEPED** Inspectorate Team prior to pick-up or hauling from **NIKKA TRADING's** warehouse in accordance with the provisions of the Special Conditions of the Contract, the Schedule of Requirements, or otherwise indicated in other parts of the bidding documents.

9. In case **NIKKA TRADING** encounters condition(s) impeding timely delivery of the goods, **NIKKA TRADING** shall promptly notify **DEPED** Procurement Management Service-Contract Management Division (ProcMS-CMD) in writing of such condition(s). As a rule and on account of the emergency nature of this project, no work suspensions and/or contract delivery period extension shall be allowed.


LEONOR MAGTOLIS BRIONES
Department of Education

10. The Contract Price shall be paid to **NIKKA TRADING** in accordance with the following disbursement procedures:

10.1. An advance payment not to exceed fifteen percent (15%) of the Contract Price shall be allowed and paid within sixty (60) calendar days from signing of the contract. An irrevocable Letter of Credit or Bank Guarantee of an equivalent amount must be submitted, and shall remain

valid until the goods are delivered, and accompanied by a claim for advance payment.

10.2. **NIKKA TRADING** may submit a request for payment based on Progress Reports which shall be attached to the progress billing and include the following: (i) cumulative quantities of items delivered based on the schedule of deliveries and other relevant terms and conditions of the Contract; (ii) Inspection and Acceptance Reports (IARs), including certification by **NIKKA TRADING**, duly signed and dated by the authorized representative of the **DEPED** indicating that the items have been delivered in accordance with the Contract. Other documents in support of a request for payment may be prescribed by **DEPED** pursuant to existing disbursement, accounting and auditing rules and procedures.

10.3. Subject to the recoupment of the advance payment contemplated in Clause 10.1. above, and retention contemplated in the immediately succeeding clause, payment shall be made to **NIKKA TRADING** within sixty (60) days from submission of the documents specified in SCC Clause 2.2 and other documents as may be prescribed by **DEPED**, in the following manner:

10.3.1. For the initial progress payment, a minimum of twenty-five percent (25%) of the Contract Price shall be paid to **NIKKA TRADING** upon a minimum of twenty-five percent (25%) delivery and acceptance of the items by **DEPED's** authorized representative;

10.3.2. Final payment shall constitute release of the retention money in case of expiry of the warranty period, or whatever is left of it, after it has been called for use under the warranty provision.

11. Payments shall be subject to the "Warranty" provision in the form of either retention money in an amount equivalent to three percent (3%) of every progress payment or a Special Bank Guarantee in the amount equal to three percent (3%) of the Contract Price required under Section 62 of R.A. 9184 and its revised IRR.

11.1. The warranty period of one year, for applicable items as specified in Annex "J" of the bidding documents, shall reckon from the date of issuance of Certificate of Final Acceptance by **DEPED**.

12. **NIKKA TRADING** shall be liable for liquidated damages for the delay in its performance in an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods scheduled for delivery, for every day of delay until such goods are finally delivered and accepted by **DEPED**. **DEPED** shall deduct the liquidated damages from any money due or which may become due to


JONATHAN R. ZULUETA
NIKKA TRADING's Witness


JONATHAN R. ZULUETA
NIKKA TRADING


ARIZ DELSON ACAY D. CAWILAN
DEPED's Witness


LEONOR MAGTOLIS BRIONES
Department of Education

[Signature]
NIKKA TRADING's Witness

NIKKA TRADING, or collect from any of the securities or warranties posted by NIKKA TRADING, whichever is convenient to DEPED. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the Contract Price, DEPED may rescind or terminate the Contract, without prejudice to other courses of action and remedies available under the circumstances.

- 13. The PARTIES shall make every effort to resolve amicably and by mutual consultation any and all disputes or differences arising between the Parties in connection with the implementation of the Agreement. Should such dispute not be resolved amicably, it shall be submitted to arbitration in the Philippines according to the provisions of Presidential Decree No. 242 and Executive Order No. 292. Provided, however, that by mutual agreement, the Parties may agree in writing to resort to other alternative modes of dispute resolution.

IN WITNESS WHEREOF, the Parties hereto have caused this Agreement to be executed in accordance with governing laws on the day and year first above written.

[Signature]
JONATHAN R. ZULUETA
NIKKA TRADING

SIGNED, SEALED AND DELIVERED BY:

[Signature]
LEONOR MAGTOLIS BRIONES
Secretary
Department of Education

[Signature]
JONATHAN R. ZULUETA
Authorized Representative
Nikka Trading

[Signature]
ARIZ DELSON ACAY D. CAWILAN
DEPED's Witness

SIGNED IN THE PRESENCE OF:

[Signature]
ARIZ DELSON ACAY D. CAWILAN
DEPED's Witness

[Signature]
NIKKA TRADING's Witness

[Signature]
LEONOR MAGTOLIS BRIONES
Department of Education

CERTIFIED FUNDS AVAILABLE: ₱ 171,283,581.20

[Signature]
MA. RHUNNAL CATALAN
Chief Accountant
Jul 8/21

REPUBLIC OF THE PHILIPPINES)
MAKATI CITY, METRO MANILA) S.S

ACKNOWLEDGMENT

BEFORE ME, a Notary Public in and for MAKATI CITY, Philippines,
this ____ day of AUG 26 2021, 2021 personally appeared:

NAME

GOVERNMENT ISSUED ID
(Number, Issued On, Issued By)

LEONOR MAGTOLIS BRIONES
Department of Education

JONATHAN R. ZULUETA
Nikka Trading

*Phil. Passport No. PG219471A
Issued on 2/26/2018; DFA NOR West*

Known to me and to me known to be the same persons who executed the foregoing instrument and acknowledge to me that the same is the free and voluntary act and deed of the entities which they respectively represent.

The foregoing instrument is a CONTRACT consisting of six (6) pages (exclusive of attachments), including this page on which this acknowledgment is written and signed by the parties hereto and their instrument witness on the left-hand margin of each and every page hereof.

WITNESS MY HAND AND SEAL on the date and place first above written.

Doc. No. 749;
Page No. 30;
Book No. 96;
Series of 2021.

ATTY. OSIAS M. MERIOLES, JR.

NOTARY PUBLIC

UNTIL DECEMBER 31, 2021

No. 33 J. P. Rizal Ext., Comembo, Makati City, Philippines

PTR NO. 0025587 / 01/04/2021 / MAKATI CITY

IBP NO. 137120 / 12/29/2020

ROLL NO. 52598 / APPT. NO. M-134

Tel. No. (02) 8882-7282

[Signature]
NIKKA TRADING's Witness

[Signature]
JONATHAN R. ZULUETA
NIKKA TRADING

[Signature]
ARIZ DELSON ACAY D. CAWILAN
DEPED's Witness

[Signature]
LEONOR MAGTOLIS BRIONES
Department of Education

Annex "A"

Lot No. 13. NON-POWERED: SETS AND KITS

Item No.	Description	Technical Specifications
1	<p>Basic Lens Set, acrylic</p> <p>Quantity: 11,730</p>	<p>Functional Specifications: Used to demonstrate refraction of light</p> <p>Performance Specifications: Able to demonstrate refraction of light</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Set of 7 lenses, acrylic material, secured in compartmentalized storage box, with the following types and diameters: <ul style="list-style-type: none"> 1-double convex, 50 mm 1-plano convex, 50 mm 1-double concave, 50 mm 1-plano concave, 50 mm 1-convex-concave lens, 50 mm 1-concave-convex lens, 50 mm 1-double convex lens, 75 mm 2. Contained in one storage box. 3. No sharp edges. 4. Free from toxic materials.
2	<p>Diffraction slits & Diffraction grating Set</p> <p>Quantity: 11,395</p>	<p>Functional Specifications: Used to investigate the concept of diffraction of light and to calculate wavelength of light of certain color through diffraction</p> <p>Performance Specifications: Able to investigate the concept of diffraction of light and to calculate wavelength of light of certain color through diffraction</p> <p>Design Specifications:</p> <p>The set is composed of:</p> <ol style="list-style-type: none"> 1) Diffraction slits consist of: <ul style="list-style-type: none"> 1 frame single slit 1 frame double slits grating size: 36 mm x 23 mm frame size: 50 mm x 50 mm x 2 mm thick 2) Diffraction Gratings consist of: <ul style="list-style-type: none"> 1 frame 50 lines/mm 1 frame 100 lines/mm 1 frame 300 lines/mm 1 frame 600 lines/mm grating size: 36 mm x 18 mm frame size: 50 mm x 50 mm x 2 mm thick 3) Each frame placed in compartmentalized storage box
3	<p>Helical Spring</p> <p>Quantity: 11,730</p>	<p>Functional Specifications: Used to demonstrate transverse waves</p> <p>Performance Specifications: Able to demonstrate</p>

		<p>transverse waves</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Wire material: Galvanized Spring Steel Wire; 2. Unstretched Length range: 1.82 meter 3. Can be stretched to 3 times its length without deformation; 4. Coil Outside Diameter: 20.1 mm; 5. Wire Diameter: 1.25 mm to 1.43mm; 6. Weight of Spring: 915 grams; 7. Number of turns per centimeter: 8 turns; 8. With circular hooks (on both ends), hook diameter is 20 mm; and 9. Packed in a carton or box made from cardboard.
4	<p>Lamp, Halogen, Low voltage with table top stand Quantity: 709</p>	<p>Functional Specifications: Used to produce halogen light for open viewing</p> <p>Performance Specifications: Able to produce halogen light for open viewing</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. tungsten filament 2. Bromine filled 3. Length minimum: 50 mm, diameter: 11.5 mm 4. Lights on 12 vlt DC; 50 watts 5. With socket, socket housing mounted on table top stand 6. with external connectors for connecting to AC-DC variable power supply
5	<p>Musical Instrument (Miniature Guitar) Quantity: 11,730</p>	<p>Functional Specifications: Used to demonstrate musical application of standing waves</p> <p>Performance Specifications: Able to demonstrate musical application of standing waves</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Mini acoustic type, half-size guitar, any color, surface finish: varnish 2. Made of good quality wood without sign of warp 3. Minimum dimensions: Overall length: 33 inches, Width: 12 1/2 inches, Depth: 3 1/4 inches 4. Standard guitar steel strings (Nos. 1-6), 18 fret minimum
6	<p>Optical Bench Set Quantity: 11,730</p>	<p>Functional Specifications: Used for mounting lenses, mirrors, screen, light source and other optics components</p> <p>Performance Specifications: Able to mount lenses, mirrors, screen, light source and other optics</p>

		<p>components in place</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. This Complete Set includes: <ol style="list-style-type: none"> a) 1-meterstick, with centimeter and millimeter graduations b) 1-lens support for the 50 mm diameter lens and 50 mm diameter mirrors (included in this package); stable when mounted on meterstick, smooth sliding c) 1-lens support for 75 mm lens, stable when mounted on meterstick, smooth sliding d) 1- screen support, stable when mounted on meterstick, smooth sliding e) 5-white board screens (10 cm x 12.5 cm) f) 2-metal supports for meter stick, stable, meterstick does not tip off 1-candle holder, stable when mounted on meterstick, smooth sliding g) 1-paraffin candle 2. Stand supports for meter stick, holders for lenses, mirrors, screens, and candle placed inside one compartmentalized casing; 3. With English User's Manual that includes operation guide.
7	<p>Prism Set</p> <p>Quantity: 14,940</p>	<p>Functional Specifications: Used to demonstrate characteristics of refraction of light</p> <p>Performance Specifications: Able to demonstrate characteristics of refraction of light</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Set is composed of: <ol style="list-style-type: none"> a) 1-Rectangular block, solid acrylic, frosted on one side minimum dimensions: length = 70.3 mm width = 50.2 mm thickness = 21 mm b) 1-Right angle prism, solid acrylic, frosted on one side with the following minimum dimension: thickness: 10.8 mm, base = 40.8 mm height = 66.8 mm c) 1-Semi-circular block, solid acrylic, frosted on one side minimum dimensions: diameter=100 mm, thickness 11 mm

		<p>2. Secured in plastic storage casing;</p> <p>3. Clear and no sign of cloudiness</p>
8	<p>Set of Tools: Ball Peen Hammer, handle length is 11", 350g approx. weight, 1 pc/set</p> <p>Quantity: 2,988</p>	<p>Functional Specifications: Used to peen dent surfaces in metals</p> <p>Performance Specifications: Able to to peen dent surfaces in metals</p> <p>Design Specifications: Ball Peen Hammer, handle length 12 inches, 400 grams gross weight approx., 1 pc. /set</p>
	<p>Set of Tools: Long Nose Pliers, 6", 1 pair/set</p> <p>Quantity: 4,871</p>	<p>Functional Specifications: Used to bend tiny solid wire connectors</p> <p>Performance Specifications: Able to bend tiny solid wire connectors</p> <p>Design Specifications: Long Nose Pliers with side cutter, 6 1/2 inches long, chrome vanadium material, 1 pair/set</p>
	<p>Set of Tools: Mechanical Wire Cutter and Pliers, 6.5", 1 pair/set</p> <p>Quantity: 2,988</p>	<p>Functional Specifications: Used to bend large wires</p> <p>Performance Specifications: Able to bend large wires</p> <p>Design Specifications: Mechanical-Wire Cutter and Pliers, 6 1/2 inches, chrome vanadium material, 1 pair/set</p>
	<p>Set of Tools: Precision Screwdrivers Set, 6 pcs/set, with plastic casing, 1 set/set</p> <p>Quantity: 2,988</p>	<p>Functional Specifications: Used to drive precision screws</p> <p>Performance Specifications: Able to to drive precision screws</p> <p>Design Specifications: Precision Screwdrivers Set, 6 pc. (3 phillips, 3 flats)/set, with plastic casing, 1 set</p>
	<p>Set of Tools: Screwdriver, flat, 6", 1 pc/set</p> <p>Quantity: 2,988</p>	<p>Functional Specifications: Used to drive flat head screws</p> <p>Performance Specifications: Able to drive flat head screws</p> <p>Design Specifications: Screwdriver flat, 5mm tip width x 13 inches long, chrome vanadium material, 1 pc. /set;</p>
	<p>Set of Tools: Screwdriver, phillips, 6", 1 pc/set</p> <p>Quantity: 2,988</p>	<p>Functional Specifications: Used to drive phillips type screws</p> <p>Performance Specifications: Able to drive phillips type screws</p> <p>Design Specifications: Screwdriver, Phillips, Point size blade #3 x 10" long, chrome vanadium material, 1 pc/set;</p>

	<p>Set of Tools: Soldering Iron, 60 watts, 1 pc/set Quantity: 2,988</p>	<p>Functional Specifications: Used to heat electrical contacts for permanent joints</p> <p>Performance Specifications: Able to heat electrical contacts for permanent joints</p> <p>Design Specifications: Soldering Iron, 60 watts, small type, wooden handle, 1 pc. /set;</p>
	<p>Set of Tools: Soldering Lead, Ø1mm, Grade 60/40, Wt.: 1 lb/spool, 1 spool/set Quantity: 2,988</p>	<p>Functional Specifications: Used to provided permanent joint for different electrical components</p> <p>Performance Specifications: Used to provided permanent joint for different electrical components</p> <p>Design Specifications: Soldering Lead, Ø 1 mm, Grade 60/40, weight: 490/spool(plastic), 1 spool/set</p>
	<p>Set of Tools: Soldering Paste, 50 grams/can, 1 can/set Quantity: 2,988</p>	<p>Functional Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Performance Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Design Specifications: Soldering Paste, all-purpose flux, non-corrosive, 60 grams/can, 1 can/set;</p>
	<p>Set of Tools: Tweezers, stainless steel, with curved tips, 6.5" long, 1 pair/set Quantity: 2,988</p>	<p>Functional Specifications: Used to hold and pick tiny electronics components</p> <p>Performance Specifications: Used to hold and pick tiny electronics components</p> <p>Design Specifications: Tweezers, stainless steel, with curved tips, 7 inches long, 1 pair/set;</p>
9	<p>Toy Car, non-battery powered Quantity: 9,330</p>	<p>Functional Specifications: Used to demonstrate that some things like people can make objects move</p> <p>Performance Specifications: Able to demonstrate that some things like people can make objects move</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. minimum dimensions: 59 cm x 28 cm x 33 cm (L x W xH) 2. Material: plastic, any color or color combination 3. 4-wheels free to turn 4. not driven by any power source ; can be pushed and pull
10	<p>Vacuum Tube and Manual Vacuum</p>	<p>Functional Specifications: Used to demonstrate the effect of air resistance on the motion of freely falling objects</p>

	<p>Pump</p> <p>Quantity: 3,545</p>	<p>Performance Specifications: Able to demonstrate the effect of air resistance on the motion of freely falling objects</p> <p>Design Specifications:</p> <p>A. Vacuum tube:</p> <ol style="list-style-type: none"> 1. 36 inches (910 mm) long x 2.25 inches (56 mm) dia. minimum, transparent acrylic 2. With stopcock mounted in a rubber stopper on one end, and solid rubber stopper on the other end 3. Supplied with 13 inches long vinyl tubing for connection to vacuum pump 4. Includes metal disc and a feather as specimens <p>B. Vacuum pump:</p> <ol style="list-style-type: none"> 1. Hand operated 2. With pressure gauge 3. Pump is sealed, self lubricating, with removable cap, and elastic valve 4. Fixed on outer port to provide quick vacuum release 5. Noozle fits 5/16 inches tubing
11	<p>Dissecting Set with pan</p> <p>Quantity: 335</p>	<p>Functional Specifications: Used to perform a wide variety of dissections.</p> <p>Performance Specifications: Able to aid in classifying different animal tissues during dissection.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. 10 pc dissection set that includes the following stainless steel instruments: <ul style="list-style-type: none"> • 1 piece surgical scissors, length 125mm; • 1 piece fine point scissors, length 125mm; • 1 piece fine point curved forcep, length 125mm; • 1 piece fine point straight tip forcep, length 115mm; • 1-piece tissue forcep or mosquito forcep, curved tip • 1-piece scalpel 4 cm blade • 1-piece scalpel handle • 1-piece teasing needle angular with chuck • 1-piece teasing needle straight with chuck • 1-piece mall probe and seeker 2. In a rectangular leatherette pouch; 3. With 1-piece stainless steel dissecting pan of 11 inches x 7 inches x 1 -1/2 inches 4. "Stainless steel" engraved on the items
12	<p>First-Aid Kit</p> <p>Quantity: 1,883</p>	<p>Functional Specifications: Used to provide immediate medical help in an emergency.</p> <p>Performance Specifications:</p>

		<p>Able to treat minor illnesses and injuries in an emergency.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. First Aid Quick Reference Guide in English, 1pc 2. Sterile Gauge Swab(10 x 10 pads), 100 pcs,/ pack, 1 pack 3. Adhesive strips/Band -Aid, 50 pcs/pack, 2 packs 4. Gloves,disposable, size # 7.5 - # 8.5, 2 pairs 5. Hypo allergenic adhesive tape, 5cm x 5m, 2 rolls 6. Triangular bandage/arm sling, 96cm x 96cm x 136cm, 2pcs 7. Safety pins, 1- 1/4 inches (12 pcs), 1- 3/4 inches (12 pcs) 8. Stainless steel bandage scissors, 2pcs 9. Betadine, 60ml, 2 bottles 10. Dust mask, 2pcs 11. Hand towels or face towels, white color, 6 pcs 12. Gauze bandage, (min.): 5cm x 4m, 2 rolls 13. Antiseptic handwash/germicidal soap, 60 gms, 2pcs 14. Torniquet, 2 pcs 15. Spirit of ammonia, 30ml, 1 bot. 16. Burn cream ointment, 20g to 30g, 1 tube 17. Medical tweezers min. 8cm, plastic , 2pcs 18. Plastic bags, resealable, 24pcs, 100mmx180mm, 24pcs; 145mmx230mm 19. Cotton balls , 50 balls in a sealed package, 2 packs 20. Hot and Cold pack, reuseable, 1 pack 21. Water resistant, sturdy case with handle that can accommodate all of the above listed items. 22. Expiration dates of Betadine, Ammonia and Burn ointment shall be at least two years after pre-delivery inspection. 23. Branded
13	<p>Glass Cover Slips, 100's/box</p> <p>Quantity: 22,790</p>	<p>Functional Specifications: Used to secure the wet mount sample specimen.</p> <p>Performance Specifications: Able to secure the wet mounted sample specimen.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Pre-cleaned cover glasses and not sticking from each other 2. Material: Transparent glass 3. Quantity: 100's/small plastic box 4. Dimension: 22 mm x 22 mm square 5. Thickness: 0.18 mm

		<p>6. No chipped edges</p> <p>7. Safely packed in a plastic box</p>
14	<p>Glass Slides, 72's/box</p> <p>Quantity: 22,790</p>	<p>Functional Specifications: Used to contain the specimen for examination under the microscope.</p> <p>Performance Specifications: Able to accommodate the specimen subject for examination under the microscope.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Clear, flat glass; free from moisture, dirt, and film; 2. No color, no frost and no chipped edges 3. Dimension: 76.2 mm x 25.4 mm; 4. Thickness: 1.06 mm 5. No sharp edges and pointed corners 6. Packed in a box containing 72 slides with thin paper sheets in between them
15	<p>Microscope, Compound, 4 Objectives</p> <p>Quantity: 45,580</p>	<p>Functional Specifications: Used to view specimen not visible to the naked eye.</p> <p>Performance Specifications: Able to focus specimen not visible to the naked eye using the four objectives.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Eyepiece: Glass lens, locked-in wide field, 10X with pointer, and with own separate plastic storage case includes an extra 15X eyepiece 2. Nosepiece: Quadruple with accurate centering and click stops; easy to turn 3. Objectives: With metal casing, glass lens, DIN achromatic objectives are parfocal, par centered, color coded, 4x,10x; retractable 40x, and 100x (oil immersion) with own separate plastic storage case 4. Stage: Built in flat, firmly fixed graduated mechanical stage clips and with knobs; 120 mm x 110 mm; glass slides not displaced when mounted 5. Condenser:N.A. 1.25 with iris diaphragm 6. Focus: Dual coarse controls with slip clutch and adjustable tension ring; dual lever type fine focus controls; adjustable safety stop Gives sharp, clear, well-lighted images 7. Mirror: 50mm, 2-sided, plane-concave

		<p>8. No sharp metal parts</p> <p>9. With wooden storage case; and immersion oil provided</p> <p>10. With User's Manual with diagram of correct microscope parts; function of each part; operation guide; cleaning and troubleshooting instructions.</p> <p>11. Manual details:</p> <p>a. Material: Inside pages: 70 lbs Book Paper; Cover: Foldcote Cal#15</p> <p>b. Size: 6.5 inches x 8.5 inches Fold 13 inches x 8.5 inches Spread</p> <p>c. Binding: Saddle Staple</p> <p>d. Font type: Arial and Font size (min.): 10</p> <p>e. Written in AMERICAN ENGLISH WITH CORRECT GRAMMAR, SPELLING AND PUNCTUATION.</p> <p>f. Pictures used must be in full color</p> <p>12. Comes with training video in USB on the use, care, and maintenance</p> <p>13. Warranty on parts and labor: 2 years</p>
16	<p>Prepared Slide Set, Microscope, 25's</p> <p>Quantity: 2,988</p>	<p>Functional Specifications: Used to contain the readily mounted and ready to view object/specimen for examination under a microscope.</p> <p>Performance Specifications: Able to show the specimen when viewed under a microscope.</p> <p>Design Specifications:</p> <p>1. Quantity: Set of 25 pieces glass slides</p> <p>2. Dimension: 75 mm x 25 mm;</p> <p>3. Thickness: 1.1 mm</p> <p>4. Individually sealed and protected by a cover slip/glass cover;</p> <p>5. Colorful slides of the following: insects (4); plants (7); animals/microbes (7); Human tissues (7)</p> <p>6. Has the following insects: wing of housefly, mosquito larvae, Drosophila melanogaster, housefly head, aphids.</p> <p>7. Has the following plants: Volvox, stem of monocotyledon c.s, stem of dicotyledon c.s., monocot leaf epidermis, dicot leaf epidermis, germinated pollen, Hydrilla leaf w.m.</p> <p>8. Has of the following animals/microbes: Hydra budding, Euglena, diatoms, Daphnia w.m., Amoeba proteus, Paramecium w.m., Planaria w.m., Planaria c.s., Ascaris mitosis, Vorticella, lancelet w.m.,</p>

		<p>Escherichia coli, Staphylococcus aureus, Lactobacillus spp.</p> <p>9. Has the following human tissues: skeletal muscle c.s., small intestine c.s., human white blood cell, cardiac muscle; motor neurons cell w.m., spinal cord c.s., lung section, liver section, nerve cell w.m., meiosis of human sex cells, stomach villi</p> <p>10. Writing the scientific name with correct spelling.</p> <p>11. Individually labeled for specimen identification</p> <p>12. Slides are packed in a fitted wooden box that contains interior padding to prevent breakage</p> <p>13. Clear, no finger-smudged and no chipped edges slide</p> <p>14. Includes instructions on how to clean and properly store the slide in coated paper-glossy finish (105 mm x 140 mm), Font style: Arial, Font size: 10, written in American English with correct grammar, spelling and punctuation.</p>
17	<p>Prepared Slide Set, Mitosis & Meiosis</p> <p>Quantity: 2,279</p>	<p>Functional Specifications: Used to guide students through the events of cell division.</p> <p>Performance Specifications: Able to compare mitosis and meiosis, and their role in the cell-division cycle.</p> <p>Design Specifications:</p> <p>1. A set of 6 rectangular microscope glass slides with polished edges</p> <ol style="list-style-type: none"> Ascaris megalocephala embryology. Sec. of uteri showing maturation stages (meiosis). Polar bodies can be seen. Giant chromosomes, smear from salivary gland of Chironomus, carefully fixed and stained Lilium, anther t.s., microspore mother cells showing telophase of first and prophase of second (homeotypic) division Meiotic and mitotic stages in sec. of Salamandra testis. Many meiotic and mitotic stages can be observed. Mitosis, l.s. from Allium root tips showing all stages of plant mitosis carefully stained with iron-hematoxyline Mitotic stages in sec. through red bone marrow of mammal <p>2. Dimension: 75 mm x 25 mm;</p> <p>3. Thickness: 1.1 mm</p> <p>4. Individually sealed and protected by a cover</p>

		<p>slip/ glass cover;</p> <p>5. Each slide is permanently labeled for specimen identification;</p> <p>6. Writing the scientific name with correct spelling.</p> <p>7. Slides are kept in a fitted plastic storage box that contains interior padding to avoid breakage</p> <p>8. Includes instructions on how to clean and properly store the slide in coated paper-glossy finish (105 mm x 140 mm), Font style: Arial, Font size: 10, written in American English with correct grammar, spelling and punctuation.</p>
--	--	--