
ANNEX D

Detailed Technical Specifications and Drawings




E-BAMBOO & STEEL ISOMETRIC VIEW OF LEARNER'S CHAIR 1 / SCALE

1	1 TECHNICAL SPECIFICATIONS OF LEARNER'S CHAIR		
MARK	COMPONENT	SPECIFICATIONS	
A	SEAT	15mm THK E-BAMBOO TOP BOARD WITH ROUND CORNERS & EDGES	
В	BACKREST		
С	BACK SUPPORT	BI PIPE TUBE 1.0mm x 22mmø	
D	SEAT SUPPORT	BI PIPE TUBE 1.0mm x 19mmø	
E	BACK LEG	BI PIPE TUBE 1.0mm x 22mmø	
F	FRONT LEG	BI PIPE TUBE 1.0mm x 22mmø	
G	LOWER SEAT SUPPO	ORT SQUARE TUBE 1.0mm x 19mm x 19mm	
Н	COVER CAP	PLASTIC GLIDE	
	CONNECTION	BACKREST / SEAT TO STEEL - 1mm THK 25mmx30mm FLAT BAR & #12 (5.49mmø) CARRIAGE BOLT	
		STEEL TO STEEL - FULL WELDING	
		SCHEDULE OF FINISHES	
BACKF	REST / SEAT	3 COATS OF VARNISH (SPRAY APPLICATION); SURFACE SHOULD BE EVEN & SMOOTH	
STEEL 60		60-80 MICRON POWDER COAT FINISH, BLACK	
	DIMENSIONS OF LEARNER'S CHAIR (mm)		


COMPONENT	DIMENSIONS				
COMPONENT	ELEMENTARY	SECONDARY			
SEAT HEIGHT	390	410			
SEAT DEPTH	400	400			
SEAT WIDTH	400	400			
BACKREST HEIGHT	800	800			
BACKREST WIDTH	400	400			








RECOMMENDING APPROVAL





LEARNER'S CHAIR (E-BAMBOO & STEEL)


PROJECT TITLE :

SHEET CONTENTS TECHNICAL SPECIFICATIONS SCHEDULE OF FINISHES DIMENSIONS ISOMETRIC VIEW











SUF OVER MAI	COATS OF VARNISH (SPRAY APPLICATION); RFACE SHOULD BE EVEN & SMOOTH SIDE 1.0MM THK HIGH PRESSURE LAMINATE /1 SIDE VARNISH FINISHES ON ARINE PLYWOOD) D-80 MICRON POWDER COAT FINISH FLAT BLACK FINISH DIMENSIONS OF LEARNER'S TABLE (mm) S DIMENSIONS ELEMENTARY SECONDARY 670 (+10) 710 (+10) 600 400
COMPONENTS BLE HEIGHT	RFACE SHOULD BE EVEN & SMOOTH SIDE 1.0MM THK HIGH PRESSURE LAMINATE /1 SIDE VARNISH FINISHES ON ARINE PLYWOOD) D-80 MICRON POWDER COAT FINISH FLAT BLACK FINISH DIMENSIONS OF LEARNER'S TABLE (mm) DIMENSIONS ELEMENTARY SECONDARY 670 (+10) 710 (+10)
SUF OVER 1 S MAI EEL TUBULAR COMPONENTS	SIDE 1.0MM THK HIGH PRESSURE LAMINATE /1 SIDE VARNISH FINISHES ON ARINE PLYWOOD) D-80 MICRON POWDER COAT FINISH FLAT BLACK FINISH DIMENSIONS OF LEARNER'S TABLE (mm) DIMENSIONS ELEMENTARY SECONDARY
SUFOVER 1 S MAI EEL TUBULAR 60-	SIDE 1.0MM THK HIGH PRESSURE LAMINATE /1 SIDE VARNISH FINISHES ON ARINE PLYWOOD) D-80 MICRON POWDER COAT FINISH FLAT BLACK FINISH DIMENSIONS OF LEARNER'S TABLE (mm) DIMENSIONS
SUF OVER MAI	RFACE SHOULD BE EVEN & SMOOTH SIDE 1.0MM THK HIGH PRESSURE LAMINATE /1 SIDE VARNISH FINISHES ON ARINE PLYWOOD) D-80 MICRON POWDER COAT FINISH FLAT BLACK FINISH DIMENSIONS OF LEARNER'S TABLE (mm)
SUF OVER MAI	RFACE SHOULD BE EVEN & SMOOTH SIDE 1.0MM THK HIGH PRESSURE LAMINATE /1 SIDE VARNISH FINISHES ON ARINE PLYWOOD)
SUF OVER MAI	RFACE SHOULD BE EVEN & SMOOTH SIDE 1.0MM THK HIGH PRESSURE LAMINATE /1 SIDE VARNISH FINISHES ON ARINE PLYWOOD)
SUF 1 S	RFACE SHOULD BE EVEN & SMOOTH SIDE 1.0MM THK HIGH PRESSURE LAMINATE /1 SIDE VARNISH FINISHES ON
) \	
	SCHEDULE OF FINISHES
	STEEL TO STEEL (KNOCKDOWN): BOLT AND NUT FOR STEEL TUBULAR KD DESIGN IS FOR BIDDER TO PROPOSE
	STEEL TO STEEL: FULL WELDING FOR TUBULAR TO FLAT BAR/CONNECTION
NNECTION	RIVETS: BLIND RIVET
	R 1MMTHKX25MMX50MM STEEL FLAT BAR (TABLE TOP: 4PCS; SCREW) E-BAMBOO TO STEEL: SCREW: M5X12MM LENGTH SCREW:
	8MMØ THREAD WITH 38MMØ PLASTIC BASE
CONDARY FRAME	1.0MMTHKX20MMX20MM STEEL TUBULAR
AIN FRAME	1.0MMTHKX20MMX40MM STEEL TUBULAR
RONT COVER	6MM THK FRONT COVER (1 SIDE 1.0MM THK HIGH PRESSURE LAMINATE / 1 SIDE VARNISH FINISHES ON MARINE PLYWOOD)
HELF	METAL WIRE MESH 4MMTHKX50X50
<u> </u>	15mm THK E-BAMBOO TOP BOARD WITH ROUND CORNERS & EDGES
COMPONENTS	SPECIFICATIONS
	TECHNICAL SPECIFICATIONS OF LEARNER'S TABLE
	OMPONENTS e top








JET RAYMOND G. ALABAS

ARCHITECT

ENGR. ANNABELLE R. PANGAN

CHIEF - EDUCATION FACILITIES DIVISION




PROJECT TITLE:


LEARNER'S TABLE (E-BAMBOO & STEEL)


SHEET CONTENTS

TECHNICAL SPECIFICATION
SCHEDULE OF FINISHES
EDGING APPLICATION
DIMENSIONS
ISOMETRIC VIEW

CY 2021







1	TECHNICAL SPECIFICATIONS OF LEARNER'S CHAIR		
MARK	COMPONENTS	SPECIFICATIONS	
A	SEAT	BLOW MOLDED PLASTIC HIGH-DENSITY POLYETHYLENE (HDPE)	
В	BACK	BLOW MOLDED PLASTIC HIGH-DENSITY POLYETHYLENE (HDPE)	
С	BACK SUPPORT	BI PIPE TUBE 1.0MMX22MMØ	
D	SEAT SUPPORT	BI PIPE TUBE 1.0MMX19MMØ	
E	BACK LEG	BI PIPE TUBE 1.0MMX22MMØ	
F	FRONT LEG	BI PIPE TUBE 1.0MMX22MMØ	
G	LOWER SEAT SUPPORT	SQ. TUBE 1.0MMX19MM	
	COVER CAP	PLASTIC GLIDE	
	HDPE TO STEEL:	BACK HDPE TO STEEL — SELF TAPPING SCREW	
		SEAT HDPE TO STEEL — 1MM THK 25MMX30MM FLAT BAR, M6X12 BOLT	

DIMENSIONS OF LEARNER'S CHAIR (mm)

	DIMEN	ISIONS	
COMPONENTS	ELEMENTARY	SECONDARY	
SEAT HEIGHT	392	412	
SEAT DEPTH	380	380	
SEAT WIDTH	370	370	
BACK HEIGHT	800	800	
BACK WIDTH	410	410	

SCHEDULE OF FINISHES
HIGH-DENSITY POLYETHYLENE (HDPE) PLASTIC

METAL/STEEL TUBULAR 60-80 MICRON POWDER COAT FINISH FLAT BLACK FINISH

HDPE COLOR

REFER TO COLOR CODE PANTONE 4665C OR COLOR HEX: #cda788 /
RGB: 205, 167, 136 / CMYK: 0%, 19%, 34%, 20%

APPROVED BY :

PROJECT TITLE :

TECHNICAL SPECIFICATION
SCHEDULE OF FINISHES
EDGING APPLICATION
DIMENSIONS
ISOMETRIC VIEW

SHEET CONTENTS

1 5

SHEET NO:

IET RAYMEND SALAE

REDRAWN BY :

DEPARTMENT OF EDUCATION EDUCATION FACILITIES DIVISION MERALCO AVENUE, PASIG CITY

ENGR. ANNABELLE R. PANGAN


CHIEF - EDUCATION FACILITIES DIVISION


RECOMMENDING APPROVAL:


ALAIN DEL B. PASCUA


UNDERSECRETARY FOR ADMINISTRATION

BLOW MOLDED











DEPED LOGO SPECIFICATIONS FOR ALL LEARNER AND TEACHER'S CHAIR









PERSPECTIVE VIEW

SPECIFICATIONS:

- 1. MATERIAL: BLOW MOLDED HDPE.
- 2. MARKINGS: MINIMUM OF 0.8MM DEPTH EMBOSSED / MOLDED OFFICIAL
- "Deped Logo" with the inscription "department of education" as per drawing.
- 3. COLOR CODE: PANTONE 4665C OR COLOR HEX: #cda788 / RGB:205, 167, 136 / CMYK: 0%, 19%, 34%, 20% 4. DEPED LOGO COLOR IS THE SAME AS BACKREST COLOR CODE.
- NOTE: BLACK COLOR OF LOGO SHOWN IS FOR ILLUSTRATION ONLY.









PROJECT TITLE

LEARNER & TEACHER'S CHAIR —
HDPE BACK DEPED LOGO DETAIL

(HDPE & STEEL)

CY 2012


HDPE BACK DEPED LOGO DETAIL PERSPECTIVE VIEW SPECIFICATIONS


SHEET CONTENTS


SHEET NO:


1

1	TECHNICAL SPECIFICATIONS O	F LEARNER'S TABLE						
MARK COMPONENTS	SPE	CIFICATIONS						
A TABLE TOP	18MM THK TOP BOARD ROUND COR LAMINATE/1 SIDE VARNISH FINISHES	·	H PRESSURE					
B EDGING	1.0 MM THK PVC EDGING, ALL EDG	ES OF TABLE TOP						A
C SHELF	METAL WIRE MESH 4MMTHKX50X50							
D FRONT COVER	6MM THK FRONT COVER (1 SIDE 1. / 1 SIDE VARNISH FINISHES ON MA		MINATE					B
E MAIN FRAME	1.0MMTHKX20MMX40MM STEEL TUBU	JLAR						E
F SECONDARY FRAME	1.0MMTHKX20MMX20MM STEEL TUBL	JLAR						F
G ADJUSTABLE LEVELER	8MMØ THREAD WITH 38MMØ PLASTI	C BASE						
CONNECTOR/FLAT BA	R 1MMTHKX25MMX50MM STEEL FLAT E	BAR (TABLE TOP: 4PCS; SCREW)						
CONNECTION	WOOD TO STEEL: SCREW: M5X12MN RIVETS: BLIND R							E
	STEEL TO STEEL: FULL WELDING FO	OR TUBULAR TO FLAT BAR/COI	NNECTION					
	STEEL TO STEEL (KNOCKDOWN): BOKE KD DESIGN IS FOR BIDDER TO PRO		ULAR					
2a	SCHEDULE OF F	INISHES						
	SIDE 1.0MM THK HIGH PRESSURE LAMI N MARINE PLYWOOD	NATE / 1 SIDE VARNISH FINISH	HES			1 SCAL	OMETRIC VIEW OF LEARNE	-M
EDGING 1.0	MM THK PVC EDGING, ALL EDGES OF	F TABLE TOP						
	SIDE 1.0MM THK HIGH PRESSURE LAMI RINE PLYWOOD)	NATE /1 SIDE VARNISH FINISHE	IES ON					
METAL/STEEL TUBULAR 60	-80 MICRON POWDER COAT FINISH FLAT	T BLACK FINISH		3		[DIMENSIONS OF LEARNER'S	S TABLE(mm)
	NTONE 729C OR COLOR HEX #ba7c45 YK 0%, 33%, 63%, 27% WITH WOOD GRA		ENT) M	1ARK	COMF	PONENTS		MENSIONS
2h	EDGING — APPL	ICATION			ABLE HEIGH	 I T	ELEMENTARY 670 (+10)	SECONDARY
		-1					670 (+10)	710 (+10)
1 MACHINE APPLICATIO	N OF GLUE TO TABLE TOP EDGES			b TA	ABLE LENG	ГН	600	600
2 MACHINE APPLICATIO	N OF PVC EDGING TO TABLE TOP EDGES			C TA	ABLE WIDTH		400	400
REPUBLIC OF THE PHILIPPINES	REDRAWN BY :	RECOMMENDING APPROVAL :	APPROVED BY :		AN NG EQ.	PROJECT TITLE :		SHEET CONTENTS SHEET NO:
DETEC DEPARTMENT OF EDUCATION EDUCATION FACILITIES DIVISION MERALCO AVENUE, PASIG CITY	ADCUITECT	ENGR. ANNABELLE R. PANGAN CHIEF - EDUCATION FACILITIES DIVISION	ALAIN DEI UNDERSECRETARY	ELB. PASCU			LEARNER'S TABLE (WOOD & STEEL)	TECHNICAL SPECIFICATION SCHEDULE OF FINISHES EDGING APPLICATION DIMENSIONS ISOMETRIC VIEW 3










DEPED LOGO SPECIFICATIONS FOR ALL LEARNER AND TEACHER'S CHAIR








PERSPECTIVE VIEW

SPECIFICATIONS:


- 1. MATERIAL: BLOW MOLDED HDPE.
- 2. MARKINGS: MINIMUM OF 0.8MM DEPTH EMBOSSED / MOLDED OFFICIAL
- "Deped Logo" with the inscription "department of education" as per drawing.


RECOMMENDING APPROVAL

- 3. COLOR CODE: PANTONE 4665C OR COLOR HEX: #cda788 / RGB:205, 167, 136 / CMYK: 0%, 19%, 34%, 20%
- 4. DEPED LOGO COLOR IS THE SAME AS BACKREST COLOR CODE. NOTE: BLACK COLOR OF LOGO SHOWN IS FOR ILLUSTRATION ONLY.











PROJECT TITLE


LEARNER & TEACHER'S CHAIR -HDPE BACK DEPED LOGO DETAIL (HDPE & STEEL)


SHEET CONTENTS HDPE BACK DEPED LOGO DETAIL PERSPECTIVE VIEW **SPECIFICATIONS**

1		TECHNICAL SPECIFICATIONS OF TEACHER'S TABLE					
MARK	COMPONENTS	SPECIFICATIONS					
А	TABLE TOP	18MM THK TOP BOARD ROUND CORNER'S (1 SIDE 1.0MM THK H LAMINATE /1 SIDE VARNISH FINISHES ON MARINE PLYWOOD)	IIGH PRESSURE		<u>E</u>		A
В	EDGING	2.0MM THICK PVC EDGING					
С	SIDE COVER	0.6MM THICK COLD ROLL STEEL IN POWDER COATED FINISHES	3				
D	FRONT COVER	0.6MM THICK COLD ROLL STEEL IN POWDER COATED FINISHES WITH PUNCH HOLE DESIGN	3				B
E	PULL OUT DRAWER	DRAWER FACE : 1 SIDE 1.0MM THK HIGH PRESSURE LAMINATE 1 SIDE VARNISH FINISHES ON 18MM THICK MARINE PLYWOOD					
		DRAWER BOX: 0.6MM THICK COLD ROLL STEEL IN POWDER CO	DATED FINISHES				lacksquare
		DRAWER LOCK : 1 LOCK ONLY PER TABLE,					
	DRAWER GUIDE	400MM LONG RAIL GUIDE					
F	MAIN FRAME	1.0MMTHKX30MMX30MM STEEL TUBULAR					
	SECONDARY FRAME	1.0MMTHKX30MMX30MM STEEL TUBULAR					
G	ADJUSTABLE LEVELER	8MMØ THREAD WITH 38MMØ PLASTIC BASE			F		
	CONNECTOR	METAL FRAME BAR AND SCREW					
	CONNECTION	WOOD TO STEEL: SCREW: WOOD SCREW STEEL TO STEEL: FULL WELDING FOR TUBULAR TO FLAT BAR/ STEEL TO STEEL (KNOCKDOWN): BOLT AND NUT FOR STEEL TO KD. DESIGN IS FOR BIDDER TO PROPOSE					G
2a		SCHEDULE OF FINISHES			1 ISOME	TRIC VIEW OF TEACHE	ER'S TARI E
ТОР В		M THK TOP BOARD ROUND CORNER'S (1 SIDE 1.0MM THK HIGH PINATE /1 SIDE VARNISH FINISHES ON MARINE PLYWOOD)	PRESSURE		1 SCALE	TINIO VILVV OI ILAOIIL	-M
EDGIN	1G 2.0N	/IM THICK PVC EDGING					
SIDE/F	RONT COVER 60-8	30 MICRON POWDER COAT FINISH FLAT BLACK FINISH	3		DIM	ENSIONS OF TEACHER'S	TABLE (mm)
METAL	STEEL TUBULAR 60-8	30 MICRON POWDER COAT FINISH FLAT BLACK FINISH	MAF	RK COMI	PONENTS	DIMENSIONS	REMARKS
LAMIN	ATE OOLOD	NTONE 729C OR COLOR HEX #ba7c45 / RGB 186, 124, 69 / YK 0%, 33%, 63%, 27% WITH WOOD GRAIN (SERANO BEECH OR E	EQUIVALENT) a	TABLE HE	EIGHT	750	
2b		EDGING — APPLICATION	b	TABLE LE	ENGTH	1200	ALL DIMENSION SHALL BE SUBJECTED
1	GLUE APPLICATIO	N ON EDGE OF TABLE TOP	С	TABLE WI	IDTH	600	TO A MAXIMUM TOLERANCE OF PLUS 10MM
2	APPLY PVC EDGIN	IG AND TRIM AND CLEAN	d	SIDING/FF	RONT COVER	380	
	REPUBLIC OF THE PHILIPPINES	REDRAWN BY: RECOMMENDING APPROVAL:	APPROVED BY :		PROJECT TITLE :		SHEET CONTENTS SHEET NO:
	DETED DEPARTMENT OF EDUCATION EDUCATION FACILITIES DIVISION	JET RAYMOND G. ALABASO ARCHITECT TO CHIEF - EDUCATION FACILITIES DIVISION FACILITIES				ACHER'S TABLE VOOD & STEEL)	TECHNICAL SPECIFICATION SCHEDULE OF FINISHES EDGING APPLICATION DIMENSIONS ISOMETRIC VIEW 1
	MERALCO AVENUE, PASIG CITY	ANOTHER PROPERTY OF THE PROPER	ONDERGEORETAIN FOR			CY 202	













FRONT ELEV.









PROJECT TITLE :


TEACHER'S TABLE (WOOD & STEEL) PLAN
PERSPECTIVE
FRONT ELEVATION
SECTION

SHEET CONTENTS

SHEET NO:


CY 2021


TEACHER'S TABLE




EXPLODED VIEW









PROJECT TITLE :




TEACHER'S TABLE EXPLODED VIEW	


SHEET CONTENTS


CY 2021


METAL FRAMING DETAIL

















SHEET CONTENTS
METAL FRAMING PERSPECTIVE


SHEET NO:

CY 2021


METAL CENTRAL DRAWER DETAIL









FRONT ELEV.








PERSPECTIVE


PROJECT TITLE :













TEACHER'S TABLE (WOOD & STEEL)

SHEET CONTENTS METAL DRAWER DETAIL
-FRONT ELEVATION -SECTION -EXPLODED VIEW
-PERSPECTIVE


PERFORATED MDP & SIDE PANEL DETAIL








SIDE PANEL ELEVATION

PROJECT TITLE:












PERFORATED MDP & SIDE PANEL DETAIL


SHEET CONTENTS


6


TECHNI	CAL SPECIFICATIONS OF SCIENCE LABO	DRATORY STOOL
COMPONE	INT SPECIFICAT	TIONS
SEAT	18mm THK SOLID WOOD BOARD, SMOC	TH PAINT FINISH
LEG	22mmø B.I. PIPE	
LEG BRACE	22mmø B.I. PIPE	
SEAT SUPPORT	1.5mm THK x 25mm x 25mm STEEL	ANGLE BAR
FOOT/LEG END CAP	HARD PLASTIC (BLACK)	
FINISH	REFER TO SCHEDULE OF FINISHES	
CONNECTION	WOOD TO STEEL: M6 E-NUT: 6mmø TH SCREWS (REFER TO DETAILS FOR WO STEEL TO STEEL: -FULL WELDING FOR BI PIPE TO BI PI -FULL WELDING FOR BI PIPE TO ANGL	PE CONNECTIONS
	SCHEDULE OF FINISHES	
SEAT	PAINT FINISH (REFER TO PAINT APPLICATION)	
METAL / STEEL	ALL SURFACE SHALL BE POWDER COATED (BL	LACK); GLOSSY FINISH
	PAINTING APPLICATION / SCHEDU	JLE
SANDING	ALL SURFACE TO BE COATED SHALL BE SMOO	OTHLY SANDED
1ST COAT	FLATWALL ENAMEL	
2ND & 3RD COAT	WHITE QUICK-DRY ENAMEL, GLOSSY	
D	IMENSIONS OF SCIENCE LABORATORY STOOL	(+10mm)
MARK	COMPONENT	DIMENSION
A	SEAT HEIGHT	650
В	SEAT WIDTH	300ø
















PROJECT TITLE :




	SHEET CONTENTS	SHEET NO:
	TECHNICAL SPECIFICATIONS SCHEDULE OF FINISHES DIMENSIONS	1
CY 2021	ISOMETRIC VIEW	2







FRAME-SEAT


2 / SCALE




300







CONNECTION DETAIL






PROJECT TITLE :

SHEET CONTENTS	
PLAN SIDE ELEVATION CONNECTION DETAIL	

CY 2021

2 2

TECHNICAL SPECIFICATIONS OF SCIENCE LABORATORY TABLE					
MARK	COMPONENT			SPECIFICATIONS	
А	TABLE TOP		MARINE F	THK TOP BOARD (0.9mm THK HIGH PRESSURE LAMINATE ON PLYWOOD) W/ WHITE RUBBERIZED PAINT EDGING JND CORNERS	
B SHELF			PLYWOOD	THK BOARD (0.9mm THK HIGH PRESSURE LAMINATE ON MARINE D) W/ WHITE RUBBERIZED PAINT EDGING — ROUND CORNERS DIMENSIONS: 300mmx1700mm)	
С	LEG		1.0mm T	THK x 50mm x 50mm STEEL TUBULAR	
D	LEG BRACE		1.0mm T	THK x 50mm x 50mm STEEL TUBULAR	
E	SHELF FRAME (MAIN	١)	1.0mm T	THK x 50mm x 50mm STEEL TUBULAR	
F	SHELF FRAME (SEC	ONDARY)	1.0mm T	THK x 25mm x 25mm STEEL TUBULAR	
G	FOOT/LEG END CAF)	HARD PL	LASTIC (BLACK)	
	TABLE TOP FRAME	(MAIN)	1.0mm T	THK x 50mm x 50mm STEEL TUBULAR	
	TABLE TOP FRAME	(SECONDARY)	1.0mm THK x 25mm x 25mm STEEL TUBULAR		
FASTENER FINISH CONNECTION			1mm THK x 25mm x 50mm STEEL FLAT BAR - FOR TABLE TOP: 12 PCS; FOR SHELF: 8 PCS REFER TO SCHEDULE OF FINISHES		
TABLE	E TOP & SHELF	0.9mm THK W	WHITE HIGH PRESSURE LAMINATE ON MARINE PLYWOOD W/ PAINTED EDGING		
METAI	L / STEEL	ALL SURFACE	SHALL BE	BE POWDER COATED (BLACK); GLOSSY FINISH	
LAMIN	NATE COLOR	WHITE, GLOSSY	/		
E				SING — APPLICATION	
1	APPLY WOOD PUTTY EVENLY		3	APPLY AT LEAST THREE (3) COATS OF RUBBERIZED PAINT (GLOSSY	
2 SMOOTHEN SURFACE BY SANDING					
		DIMENSIONS O	F SCIEN	NCE LABORATORY TABLE (+10mm)	
COMPONENT			DIMENSION	ON COMPONENT DIMENSION	
	TABLE HEIGHT		900	TABLE WIDTH 800	
	TABLE LENGTH		1800	LEG BRACE HEIGHT 300	



NOTES:


WOOD GLUE SHALL BE APPLIED BEFORE INSERTING E-NUT INTO THE PLYWOOD


CORNERS OF TABLE TOP & SHELF MUST BE ROUNDED



JET RAYMOND G. ALABASO

ARCHITECT






SCIENCE LABORATORY TABLE (WOOD & STEEL)


PROJECT TITLE :


SHEET CONTENTS

TECHNICAL SPECIFICATIONS
SCHEDULE OF FINISHES
DIMENSIONS
ISOMETRIC VIEW


CY 2021









FRAME/FLAT BAR-BOARD CONNECTION DETAILS 2 SCALE 1 : 50 M





CY 2021


SIDE ELEVATION (TYPICAL) FRONT/REAR ELEVATION 4 SIDE 2 SCALE



DRAWN BY : JET RAYMOND G. ALABASO **ARCHITECT**

2 SCALE


RECOMMENDING APPROVAL: ENGR. ANNABELLE R. PANGAN CHIEF - EDUCATION FACILITIES DIVISION




SCIENCE LABORATORY TABLE (WOOD & STEEL)

PROJECT TITLE :


SHEET CONTENTS PLAN ELEVATIONS CONNECTION DETAIL





TECHNICAL SPECIFICATIONS OF WORKSHOP STOOL				
COMPONEN	Γ SPECIFICA ⁻	SPECIFICATIONS 18mm THK SOLID WOOD BOARD, SMOOTH PAINT FINISH		
SEAT	18mm THK SOLID WOOD BOARD, SMOC			
LEG	22mmø B.I. PIPE	22mmø B.I. PIPE		
LEG BRACE	22mmø B.I. PIPE	22mmø B.I. PIPE		
SEAT SUPPORT	1.5mm THK x 25mm x 25mm STEEL	ANGLE BAR		
FOOT/LEG END CAP	HARD PLASTIC (BLACK)			
FINISH	REFER TO SCHEDULE OF FINISHES			
CONNECTION	SCREWS (REFER TO DETAILS FOR WO STEEL TO STEEL: -FULL WELDING FOR BI PIPE TO BI PI	WOOD TO STEEL: M6 E-NUT: 6mmø THREAD x 12mm OVERALL LENGTH; SCREWS (REFER TO DETAILS FOR WOOD TO STEEL CONNECTION) STEEL TO STEEL: -FULL WELDING FOR BI PIPE TO BI PIPE CONNECTIONS -FULL WELDING FOR BI PIPE TO ANGLE BAR CONNECTIONS		
	SCHEDULE OF FINISHES			
SEAT	SMOOTH PAINT FINISH (REFER TO PAINT SCH	EDULE)		
METAL / STEEL	ALL SURFACE SHALL BE POWDER COATED (BI	SURFACE SHALL BE POWDER COATED (BLACK); GLOSSY FINISH		
	PAINTING APPLICATION / SCHEDU	JLE		
SANDING	ALL SURFACE TO BE COATED SHALL BE SMOO	SURFACE TO BE COATED SHALL BE SMOOTHLY SANDED		
1ST COAT	PANTONE 729C OR COLOR HEX #ba7c45 / CMYK 0%, 33%, 63%, 27% WITH WOOD GRAIN	TONE 729C OR COLOR HEX #ba7c45 / RGB 186, 124, 69 / K 0%, 33%, 63%, 27% WITH WOOD GRAIN (SERANO BEECH OR EQUIVALENT)		
INTERMEDIATE COAT	LACQUER SANDING SEALER	·		
TOP COAT	CLEAR GLOSS LACQUER (2 COATS)	AR GLOSS LACQUER (2 COATS)		
	DIMENSIONS OF WORKSHOP STOOL (+1	0mm)		
MARK	COMPONENT	DIMENSION		
A	SEAT HEIGHT	650		
В	SEAT WIDTH	300ø		



















PROJECT TITLE :


TECHNICAL SPECIFICATIONS SCHEDULE OF FINISHES DIMENSIONS ISOMETRIC VIEW	





















PROJECT TITLE :



SHEET CONTENTS	SHEET	NO:
PLAN SIDE ELEVATION CONNECTION DETAIL		2
CONTROLL DELIVE		2

	REPUBLIC OF TI		•	-	
	TABLE LENGTH		1800	LEG BRACE HEIGHT	300
	TABLE HEIGHT		900	TABLE WIDTH	800
	COMPONENT		DIMENSION	COMPONENT	DIMENSION
		DIMENSION	NS OF WORKS	SHOP TABLE (+10mm)	
TOP COAT CLEAR GLOSS			S LACQUER (2 CC	DATS)	
INTERMEDIATE COAT LACQUER SAN		NDING SEALER			
1ST COAT PANTONE 729 CMYK 0%, 33		9C OR COLOR HE 3%, 63%, 27% V	X #ba7c45 / RGB 186, 124, 69 WITH WOOD GRAIN (SERANO BEECH	OR EQUIVALENT)	
SAND	ING	ALL SURFACE	TO BE COATED	SHALL BE SMOOTHLY SANDED	
			PAINTING	SCHEDULE	
METAI	L / STEEL	ALL SURFACE	SHALL BE POWE	DER COATED (BLACK); GLOSSY FINI	SH
EDGIN	NG			TO PAINTING SCHEDULE)	
TABLE	E TOP & SHELF	SMOOTH PAIN	IT FINISH (REFER	TO PAINTING SCHEDULE)	
			SCHEDULE (OF FINISHES	
	CONNECTION		SCREWS (REF STEEL TO STEEL -FULL WELDING	:: M6 E-NUT: 6mmø THREAD x 12 FER TO DETAILS FOR WOOD TO STE :: FOR TUBULAR TO TUBULAR CONN DING FOR TUBULAR TO ANGLE BAR/	EEL CONNECTION) IECTIONS
	FINISH			EDULE OF FINISHES	
			-WOOD SCREW 3 PCS @ SH 1mm THK x 25 -FOR TABLE T	FOR TABLE TOP EDGING: 5 PCS (ORTER SIDE W/ EQUAL SPACING of the second state of the s	
	FASTENER	(SECONDAINT)		mm x 50mm STEEL ANGLE BAR (1	FOR TABLE TOP EDGING
	TABLE TOP FRAME TABLE TOP FRAME	. ,		50mm x 50mm STEEL TUBULAR 25mm x 25mm STEEL TUBULAR	
	SHELF FRAME (SEC	,		25mm x 25mm STEEL TUBULAR	
G	FOOT/LEG END CAP		HARD PLASTIC (
F	SHELF FRAME (MAII	N)	1.0mm THK x	50mm x 50mm STEEL TUBULAR	
Е	LEG BRACE		1.0mm THK x	50mm x 50mm STEEL TUBULAR	
D LEG		1.0mm THK x 50mm x 50mm STEEL TUBULAR			
С	TABLE TOP EDGING		20mm THK SOLID WOOD EDGING		
В	SHELF	18mm THK TOP BOARD (MARINE PLYWOOD, PAINT FINISH) W/		FINISH) W/	
Α	TABLE TOP		18mm THK TOF WOOD EDGING	BOARD (MARINE PLYWOOD, PAINT	FINISH) W/ SOLID
MARK COMPONENT				SPECIFICATIONS	




NOTES:

WOOD GLUE SHALL BE APPLIED BEFORE INSERTING E-NUT INTO THE PLYWOOD CORNERS OF WOOD EDGING MUST BE BEVELED

DEPARTMENT OF EDUCATION EDUCATION FACILITIES DIVISION MERALCO AVENUE, PASIG CITY

ARCHITECT

CHIEF - EDUCATION FACILITIES DIVISION





WORKSHOP TABLE (WOOD & STEEL)

TECHNICAL SPECIFICATIONS
SCHEDULE OF FINISHES
DIMENSIONS
ISOMETRIC VIEW

SHEET CONTENTS SHEET NO: 3


PROJECT TITLE :








2	LONGITUDINAL	SECTION
3	SCALE	1 : 50 N

MARK	COMPONENT	SPECIFICATIONS	
А	TABLE TOP FRAME (MAIN)	1.0mm THK x 50mm x 50mm STEEL TUBULAR	
В	TABLE TOP FRAME (SECONDARY)	1.0mm THK x 25mm x 25mm STEEL TUBULAR	
С	SHELF FRAME (MAIN)	1.0mm THK x 50mm x 50mm STEEL TUBULAR	
D	SHELF FRAME (SECONDARY)	1.0mm THK x 25mm x 25mm STEEL TUBULAR	
Е	LEG	1.0mm THK x 50mm x 50mm STEEL TUBULAR	
F	LEG BRACE	1.0mm THK x 50mm x 50mm STEEL TUBULAR	
G	FASTENER / CONECTOR	1.0mm THK x 25mm x 50mm STEEL FLAT BAR (FOR TABLE TOP- 12 PCS; FOR SHELF- 8 PCS)	
Н	TABLE TOP EDGING SUPPORT	1mm THK x 50mm x 50mm STEEL ANGLE BAR	
	FINISH	POWDER COATED, GLOSSY BLACK	









PROJECT TITLE :

WORKSHOP TABLE (WOOD & STEEL)

	SHEET CONTENTS	SHEET I
	SECTIONS ISOMETRIC — STEEL FRAME OF TABLE TECHNICAL SPECIFICATIONS OF STEEL COMPONENTS	
CY 2021	TEORINGAL SI ESINOANIONS OF STEEL SOME SIVERIO	