



Republic of the Philippines
Department of Education
Procurement Management Service

Bids and Awards Committee II

SUBJECT : **BID BULLETIN NO. 1**

PROJECT : **Supply, Delivery, Installation of Outdoor Led Wall for the Department of Education**

PROJECT NO. : **2024c-ICTS3(013)-BII-CB-025**

DATE : **April 30, 2024**

This Bid Bulletin is hereby issued for the information and guidance of all prospective bidders. It shall form an integral part of the bidding documents issued earlier relative to the above project.

I. Section III. Bid Data Sheet

- **ITB Clause 5.3**, page 18, is hereby amended to be read as follows:

| Original Provision | Provision as Amended |
|--|--|
| For this purpose, contracts similar to the projects shall be: a. Supply, Delivery, Installation and Maintenance of Outdoor LED Wall. b. completed within Seven (7) years immediately prior to the deadline for the submission and receipt of bids. | For this purpose, contracts similar to the projects shall be: a. Supply, Delivery and Installation of LED Wall; and b. completed within Seven (7) years immediately prior to the deadline for the submission and receipt of bids. |

II. Section VII. Scope of Work and Technical Specifications

A. General Specifications, page 36, is hereby amended to be read as follows:

| Original Provision | Provision as Amended |
|---|---|
| <p>Item No. 6</p> <p>A minimum of ten years' experience in the electronic billboard sector is required for the delivery and installation of LED equipment to ensure the company's competency.</p> | <p>Item No. 6</p> <p>A minimum of seven years' experience in the electronic billboard sector is required for the delivery and installation of LED equipment to ensure the company's competency.</p> <p>The bidder must submit at least ONE (1) proof of sale for every year from 2017 to 2024 through any of the following:</p> <ul style="list-style-type: none"> o Purchase Order o Contract o Official Receipt o Sales Invoice <p>For the year 2019 and 2020 if no project is available, bidder must declare that there is no project for said specific year/s.</p> |

III. Section VII. Scope of Work and Technical Specifications

- **B. Detailed Technical Specifications**, page 37, is hereby amended to be read as follows:

| Original Provision | Provision as Amended | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--------------------------------------|--|--------------------------|---------------------|---------------|---------------|-------------------|---|------------------------|----------------------------------|---------------------------|----------|---|-----------|--|--------------------------------------|--|--------------------------|---------------------|---------------|---------------|-------------------|---|------------------------|----------------------------------|---------------------------|-------------------|
| <p>Minimum Viewing Distance: 6 meters</p> <table border="1" data-bbox="193 1356 785 1686"> <thead> <tr> <th colspan="2">STRUCTURE</th> </tr> </thead> <tbody> <tr> <td colspan="2">• to be installed as a fix structure</td> </tr> <tr> <td>Mount Material and Type:</td> <td>Metal, Pole Mounted</td> </tr> <tr> <td>Mount Height:</td> <td>3 to 5 meters</td> </tr> <tr> <td>Protection Level:</td> <td>Waterproof IP 65, Rain, Sun, Wind Proof</td> </tr> <tr> <td>Minimum Viewing Angle:</td> <td>Horizontal 140° Vertical 140°</td> </tr> <tr> <td>Minimum Viewing Distance:</td> <td>6 meters</td> </tr> </tbody> </table> | STRUCTURE | | • to be installed as a fix structure | | Mount Material and Type: | Metal, Pole Mounted | Mount Height: | 3 to 5 meters | Protection Level: | Waterproof IP 65, Rain, Sun, Wind Proof | Minimum Viewing Angle: | Horizontal 140° Vertical 140° | Minimum Viewing Distance: | 6 meters | <p>Minimum Viewing Distance: 3.9 meters</p> <table border="1" data-bbox="813 1356 1410 1686"> <thead> <tr> <th colspan="2">STRUCTURE</th> </tr> </thead> <tbody> <tr> <td colspan="2">• to be installed as a fix structure</td> </tr> <tr> <td>Mount Material and Type:</td> <td>Metal, Pole Mounted</td> </tr> <tr> <td>Mount Height:</td> <td>3 to 5 meters</td> </tr> <tr> <td>Protection Level:</td> <td>Waterproof IP 65, Rain, Sun, Wind Proof</td> </tr> <tr> <td>Minimum Viewing Angle:</td> <td>Horizontal 140° Vertical 140°</td> </tr> <tr> <td>Minimum Viewing Distance:</td> <td>3.9 meters</td> </tr> </tbody> </table> | STRUCTURE | | • to be installed as a fix structure | | Mount Material and Type: | Metal, Pole Mounted | Mount Height: | 3 to 5 meters | Protection Level: | Waterproof IP 65, Rain, Sun, Wind Proof | Minimum Viewing Angle: | Horizontal 140° Vertical 140° | Minimum Viewing Distance: | 3.9 meters |
| STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • to be installed as a fix structure | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mount Material and Type: | Metal, Pole Mounted | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mount Height: | 3 to 5 meters | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Protection Level: | Waterproof IP 65, Rain, Sun, Wind Proof | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Viewing Angle: | Horizontal 140° Vertical 140° | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Viewing Distance: | 6 meters | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • to be installed as a fix structure | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mount Material and Type: | Metal, Pole Mounted | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mount Height: | 3 to 5 meters | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Protection Level: | Waterproof IP 65, Rain, Sun, Wind Proof | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Viewing Angle: | Horizontal 140° Vertical 140° | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Viewing Distance: | 3.9 meters | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

IV. Please refer to **Annex "E" Drawings/CAD Plan** as an additional part of Section VIII. Bill of Quantities, page 42.

All other provisions not herein modified shall remain in full force and effect.

For your information and guidance.

FOR THE BIDS AND AWARDS COMMITTEE II:


LEILA P. AREOLA
Director IV and Vice-Chairperson

